

MOBILE AIR-TO-AIR HEAT PUMP MW40

A mobile air-to-air heat pump blows warm air into construction sites and other temporary spaces. The plug-in model is quick to install and perfect for temporary needs. Installed outdoors, the heat pump circulates air and warms the interior quickly to the desired temperature.

A mobile air-to-air heat pump works on the same principle as the pumps used in homes, except that here the outdoor and indoor units are in the same package. A hose (ø 525 mm) is connected to the pump, through which warm air is blown under high pressure from the outdoor unit into the interior, and a second hose draws air from inside to the pump to be heated. The condensate hose is heated so it cannot freeze.



SKU: 804010001-en

TECHNICAL ATTRIBUTES

Operating temperature	-20°C - +25°C	Supply	32A CEE (+ 230V schuko)
Nom. heat output (A7/L35)	42.4 kW	Max. rated current	31 A
COPh (A-7/L35) air	2.30	Enclosure rating	IP44
COPh (A2/L35) air	2.76	Air hose connection	ø 525 mm
COPh (A7/L35) air	3.07	Dimensions (L x W x H)	2.4 x 1.2 x 2.2 m
SCOPh air	2.72	Weight	1080 kg
Airflow	8,000 m³/h	Noise level	69 dB(A)
Max. air pressure	200 Pa	Max. condensate	10 l/h
Voltage	400V 50Hz	Refrigerant	R454C

Max. energy

17 kW

OTHER PRODUCT IMAGES

