

WATER CIRCUIT HEATER TSR WH50

The largest heater in our collection, TSR WH50, can be equipped with a durable textile hood, which allows warm air to be evenly 360 ° distributed around the heater over an area of 1000 m². The heater is connected to the district heating network using a heat exchanger. The lightweight and corrosion-resistant TSR WH 50 heater is made of powder-coated galvanized steel. In the design of the heaters, the wishes of the users have been carefully taken into account, e.g. they are simple to maintain and standard filters are suitable for heaters. The heaters have a reliable manual interface.

Robust and sturdy TSR WH heaters are manufactured in Finland and spare parts availability is good. Heaters have a long life span.

Water circulating heaters are suitable for various temporary needs e.g. for new construction and renovation sites.

TSR WH 50 heater uses standard size textile hood. The hood is not included in the delivery.



SKU: 1030601050

TECHNICAL ATTRIBUTES

Voltage	400V / 16A	Sound level	90 dB (A)
Nominal Current	3,0 A	Weight	152 kg
Heating power	50 kW	Measurements (H x W x L)	1310 x 755 x 915 mm
Air current	4400 m ³ /h	Protection class	IP44
		Connectors	2 x Camlock 25mm

ADDITIONAL PRODUCT DESCRIPTION

OTHER PRODUCT IMAGES

