

## SUBCABINET WITH PHASE LOAD MEASUREMENT TSR HUB 32A

The cabinet has meters that monitor the load on each of the three phases. A phase meter measures current and voltage. In addition, the meter acts as an indicator light so it indicates that power is being applied to the phase.

Thanks to the phase-by-phase measurement, the even distribution of the load between the phases can be monitored on site, avoiding skewed loads, and thereby preventing unnecessary phase overloads and fuse tripping.

The stackable design of the cabinet is designed so that the outlets are protected inside the metal frame. The cabinet is made of galvanized steel and has a light structure. The cabinet is easy to carry on its handles and hang on a wall from its hanging loops. The cabinet can also be placed on the floor at its feet.

The cabinet is manufactured in Finland and uses only high-quality European components such as PCE and Schneider. All parts of the cabinet are available as spare parts. Changes can also be made to the cabinet according to the customer's wishes, e.g. the number and size of outlets can be customized.



SKU: 5000350/VM

### TECHNICAL ATTRIBUTES

<b>Nominal Current</b>	32 A	<b>Dimensions (H x W x D)</b>	46x37x22 cm
<b>Nominal voltage</b>	400 V	<b>Outlets</b>	2 x 32A, 2 x 16A, 6 x 16A 230V
<b>RCD</b>	1 x 40A/30mA		

<b>Weight</b>	10,7 kg	<b>230V lähtöjen vaiheet</b>	1-1-2-2-3-3
		<b>Fuses</b>	2 x C16 3P 3 x C16 1P
		<b>Protection class</b>	IP44

## ADDITIONAL PRODUCT DESCRIPTION

## OTHER PRODUCT IMAGES

