

## TSR-PROLED PLUS 19200

The **TSR Proled Plus** is a high-performance LED flood light 19200 lm light output that is designed for 7-meter lighting masts. It fits directly into our **light masts** and is compatible with various mast systems, cranes, and both fixed and mobile installations thanks to its adjustable mounting bracket. Despite its powerful output, the light weighs only 2.7 kg and features a compact wind-exposed surface area for optimal performance in tough outdoor conditions.

This mast light is always delivered with a 0.5-meter connection cable equipped with **Wieland RST connectors**, making it plug-and-play compatible as a spare light for Luxtower and Towerloop masts. A female connector is included in the package for easy integration into other systems.

Built from corrosion-resistant **marine-grade aluminum** and fitted with a durable **polycarbonate lens**, the light is built to last. The lens is replaceable, and the default beam angle is 60°, with other beam angles available on request.

The TSR Proled Plus comes with a **5-year warranty**, supported by premium components such as **Philips 5050 Lumileds** for long-term reliability and consistent brightness.



SKU: 60007401

### TECHNICAL ATTRIBUTES

**Power**

120W

**Color temperature**

5000K

<b>Light source</b>	Philips Lumileds 5050	<b>Light output</b>	19.200lm
<b>Weight</b>	2,7kg	<b>Protection class</b>	IP65
<b>Connecting cable</b>	0,5m (wieland)	<b>Service life</b>	50.000h
<b>Spotlight</b>	60°	<b>Product dimensions (LxWxH)</b>	190 x 310 x 116mm

## ADDITIONAL PRODUCT DESCRIPTION

[https://youtu.be/i3FdOa3n\\_g](https://youtu.be/i3FdOa3n_g)

## OTHER PRODUCT IMAGES

