

## TEMPORARY POWER SUPPLY CABINET WITH METER 1250 A

Designed for really large sites, the TPK 1250A control panel can be modified as needed during the ordering phase. The delivery time is approx. 6 weeks, so that the cabinet can be modified according to the customer's needs.

The cabinet is sturdy and has lifting loops and forklift pockets on the stand. Power supply, space allocation for the kWh meter and outputs are all behind lockable doors. The powder-coated 2 mm marine aluminum body material is corrosion-resistant. The cabinet has a 1200 A railing and current transformer measurement.






SKU: S19184

### TECHNICAL ATTRIBUTES

<b>Nominal Current</b>	1200 A	<b>Oikosulkukestavyys</b>	I <sub>cf</sub> = 25 kA
<b>Nominal voltage</b>	400 V (50 Hz)	<b>Weight</b>	425 kg
<b>Input</b>	1200 A (4 x 400 A)	<b>Dimensions (H x W x D)</b>	1683 x 1587 x 1277 mm
<b>Size of the input cable</b>	4x95-240	<b>Enclosure class</b>	IP44
<b>Kiinteät lähdöt</b>	NH00 125A ja NH3 400A	<b>Model</b>	ZF1200/304 FI
<b>Fuse output</b>	3 x SLK 160 ja 4 x SLK 630	<b>Ordering number</b>	S19184
<b>Vikavirtasuojakytkimet</b>	30 mA ja 300 mA	<b>Approvals</b>	CE, EN 60 439-4

# DIAGRAM IMAGES



## OTHER PRODUCT IMAGES

