

## TEMPORARY POWER SUPPLY CABINET WITH METER 160 A

Modular temporary power supply cabinet with meter for heavy site use. Robust and compact marine aluminum frame, lifting eyes, forklift pockets and lockable doors. Space reserve for kWh meter. 400A rail. Weight 109 kg.




SKU: S19322



### TECHNICAL ATTRIBUTES

<b>Nominal Current</b>	160 A	<b>RCD</b>	30 mA och 500 mA
<b>Nominal voltage</b>	400 V 50 Hz	<b>Short-circuit resistance</b>	I <sub>cf</sub> = 25 kA
<b>Input fuses</b>	NH00 160 A	<b>Weight</b>	109 kg
<b>Size of the input cable</b>	1 x 35-150	<b>Dimensions (H x W x D)</b>	1598 x 729 x 718 mm
<b>Fixed outlet</b>	NH00 160 A	<b>Enclosure class</b>	IP44
<b>Fuse output</b>	1 x SLK 160	<b>Model</b>	ZFSF160/1/3222-23 FI
<b>Socket outlets</b>	3 x 16A (230V), 2 x 16A, 2 x 32A, 2 x 63A	<b>Ordering number</b>	S19322
		<b>Approvals</b>	CE, EN 60 439-4

# DIAGRAM IMAGES



## OTHER PRODUCT IMAGES

