

TEMPORARY POWER SUPPLY CABINET WITH METER 63 A

Temporary power supply cabinet with meter for heavy site use. Sturdy and compact case with lockable door and folding stainless foot. The frame of the cabinet is made of powder-coated and corrosion-resistant 2 mm aluminum. Space reserve for kWh meter. Weight 23 kg.




SKU: S19175

TECHNICAL ATTRIBUTES

Nominal Current	63 A	RCD	30 mA ja 300 mA
Nominal voltage	400 V (50 Hz)	Short-circuit resistance	I _{cf} = 17 kA
Input fuses	DIII 63 A	Weight	23 kg
Size of the input cable	1 x 16-95	Dimensions (H x W x D)	822 x 735 x 279 mm
Fixed outlet	1 x 63 A	Enclosure class	IP44
Fuse output	1 x SLK 160	Model	ZSF63/1/1111-11
Socket outlets	1 x 16A (230V), 1 x 16A, 1 x 32A, 1 x 63A	Ordering number	S19175
		Approvals	CE

DIAGRAM IMAGES



1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



SATEMA
 OSLO MICREL
 TIE22 57 93 00 TIE62 33 44 30

SF 63/1/1111-11 FI
 FINLAND
 SATEMA AB

ZSF 63/1/1111-11 S19175
 HS AS 1
 22.04.10 X X



OTHER PRODUCT IMAGES

