

## TEMPORARY POWER SUPPLY CABINET WITH METER 63 A

Temporary power supply cabinet with meter for heavy site use. Sturdy and compact case with lockable door and folding stainless foot. The frame of the cabinet is made of powder-coated and corrosion-resistant 2 mm aluminum. Space reserve for kWh meter. Weight 23 kg.




SKU: S19175

### TECHNICAL ATTRIBUTES

<b>Nominal Current</b>	63 A	<b>RCD</b>	30 mA ja 300 mA
<b>Nominal voltage</b>	400 V (50 Hz)	<b>Short-circuit resistance</b>	I <sub>cf</sub> = 17 kA
<b>Input fuses</b>	DIII 63 A	<b>Weight</b>	23 kg
<b>Size of the input cable</b>	1 x 16-95	<b>Dimensions (H x W x D)</b>	822 x 735 x 279 mm
<b>Fixed outlet</b>	1 x 63 A	<b>Enclosure class</b>	IP44
<b>Fuse output</b>	1 x SLK 160	<b>Model</b>	ZSF63/1/1111-11
<b>Socket outlets</b>	1 x 16A (230V), 1 x 16A, 1 x 32A, 1 x 63A	<b>Ordering number</b>	S19175
		<b>Approvals</b>	CE

# DIAGRAM IMAGES



1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----



**SATEMA**  
 OSLO MICREL  
 TIE22 57 93 00 TIE62 33 44 30

SF 63/1/1111-11 FI  
 FINLAND  
 SATEMA AB

ZSF 63/1/1111-11 S19175  
 HS AS 1  
 22.04.10 X X



## OTHER PRODUCT IMAGES

