

## TEMPORARY POWER SUPPLY CABINET WITH METER 630A

Modular temporary power supply cabinet with meter to hard use at construction sites. Robust and compact marine aluminum frame, lifting eyes, forklift pockets and lockable doors. Space reserve for kWh meter. Weight 250 kg.



SKU: S19481



### TECHNICAL ATTRIBUTES

<b>Nominal Current</b>	630 A	<b>RCD</b>	30 mA ja 300 mA
<b>Nominal voltage</b>	400V	<b>Short-circuit resistance</b>	Icf = 25 kA
<b>Input fuses</b>	NH1 1x250A 2x400A	<b>Weight</b>	250 kg
<b>Size of the input cable</b>	3 x 95-240	<b>Dimensions (H x W x D)</b>	1916 x 1264 x 834 mm
<b>Kiinteät lähdöt</b>	NH00 125A ja NH1-2 250A	<b>Enclosure class</b>	IP44
<b>Fuse output</b>	3 x SLK 160 ja 2 x SLK 400	<b>Mallinumero</b>	ZFSF630/32/2121-12 FI
<b>Socket outlets</b>	3 x 16A (230V), 1 x 16A, 2 x 32A, 1 x 63A	<b>Ordering number</b>	S19251
		<b>Approvals</b>	CE, EN60439-2

# DIAGRAM IMAGES



## OTHER PRODUCT IMAGES

