

## DEHUMIDIFIER 65L PRO WITH PUMP

The Staring DY 65L PRO dehumidifier is a reliable and efficient solution for removing moisture from large spaces. Equipped with a built-in pump, it is suitable for spaces of up to 160 m<sup>2</sup> and is designed for continuous use in demanding conditions. It is a particularly popular choice on construction sites, for drying after water damage, and for drying cellars and other moisture-damaged spaces.



### Features

- Digital microprocessor control for intelligent and easy operation
- High performance and efficient moisture removal
- Continuous operation even in demanding conditions (not suitable for very aggressive environments such as piggeries)
- Humidity-level based control
- Fast automatic defrost function
- Easy-to-clean air filter
- Telescopic handle and semi-pneumatic wheels for easy transport
- Built-in pump that lifts water vertically up to 4.5 metres, 4.5 m plastic hose included
- Impact-resistant plastic housing
- Electric control for setting start and stop times, plus an hour meter for tracking site-specific and total use
- Environmentally friendly R290 refrigerant

### Applications for the 65L

## PRO dehumidifier

The 65L PRO dehumidifier is excellently suited to construction sites, drying after water damage and moisture damage repair work in buildings and cellars.

### TECHNICAL ATTRIBUTES

|                         |                                                    |                              |                       |
|-------------------------|----------------------------------------------------|------------------------------|-----------------------|
| <b>Drying capacity</b>  | 70l/24h (30°C, RH 80%) /<br>37l/24h (27°C, RH 60%) | <b>Dimensions</b>            | 810 x 500 x 490<br>mm |
| <b>Airflow</b>          | 400m <sup>3</sup> /h                               | <b>Noise level</b>           | 68 db                 |
| <b>Area to be dried</b> | 160m <sup>2</sup>                                  | <b>Operating temperature</b> | 5 – 35°C              |
| <b>Voltage</b>          | 220-240V 50Hz                                      | <b>Compressor type</b>       | Rotary                |
| <b>Power</b>            | 785W                                               | <b>Refrigerant</b>           | R290                  |
| <b>Weight</b>           | 44.5 kg                                            | <b>Lifting height</b>        | 4.5m                  |

## ADDITIONAL PRODUCT DESCRIPTION

### Frequently asked questions

**How large a space does the Staring DY 65L PRO dehumidifier dry?** The unit is suitable for spaces of up to 160 square metres and removes 70 litres of moisture per day (30 °C, RH 80 %).

**Can the dehumidifier be used continuously?** Yes, the unit is designed for continuous operation in demanding conditions, such as construction sites and drying after water damage.

**Does the unit have a pump?** Yes, the unit has a built-in pump that lifts water vertically up to 4.5 metres without a separate external pump.

## OTHER PRODUCT IMAGES

